

Table B
DEAD FUEL MOISTURE CONTENT CORRECTIONS
MAY JUNE JULY

Exposed – Less than 50% Shading of Surface Fuels																			
Aspect	% Slope	0800 >			1000 >			1200 >			1400 >			1600 >			1800 >		
		B	L	A	B	L	A	B	L	A	B	L	A	B	L	A	B	L	A
N	0-30%	2	3	4	1	1	1	0	0	1	0	0	1	1	1	1	2	3	4
	31%+	3	4	4	1	2	2	1	1	2	1	1	2	1	2	2	3	4	4
E	0-30%	2	2	3	1	1	1	0	0	1	0	0	1	1	1	2	3	4	4
	31%+	1	2	2	0	0	1	0	0	1	1	1	2	2	3	4	4	5	6
S	0-30%	2	3	3	1	1	1	0	0	1	0	0	1	1	1	1	2	3	3
	31%+	2	3	3	1	1	2	0	1	1	0	1	1	1	1	2	2	3	3
W	0-30%	2	3	4	1	1	2	0	0	1	0	0	1	0	1	1	2	3	3
	31%+	4	5	6	2	3	4	1	1	2	0	0	1	0	0	1	1	2	2
Shaded – Greater than or Equal to 50% Shading of Surface Fuels																			
Aspect	% Slope	B	L	A	B	L	A	B	L	A	B	L	A	B	L	A	B	L	A
N	0%+	4	5	5	3	4	5	3	3	4	3	3	4	3	4	5	4	5	5
E	0%+	4	4	5	3	4	5	3	3	4	3	4	4	3	4	5	4	5	6
S	0%+	4	4	5	3	4	5	3	3	4	3	3	4	3	4	5	4	5	5
W	0%+	4	5	6	3	4	5	3	3	4	3	3	4	3	4	5	4	4	5

B = Area of concern 1000'-2000' below wx site location

L = Area of concern within +/- 1000' of wx site location

A = Area of concern 1000'-2000' above wx site location