

Frequency Child Tone Identifier (relationship)

Status: Approved

Description

The unique tone identifier of the child tone of the relationship formed between an incident, frequency, and a tone.

Identity & Classification

Label	Frequency Child Tone Identifier (relationship)
Data Element Type	String Data Element
Approval Status	Approved

Format Specification

Attribute Name	ChildFTID
Data Exchange Name	ChildToneID
Alternate Data Exchange Name	ChildIrwinFTID
Format	{XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX}
Format Notes	X is a hex digit (0,1,2,3,4,5,6,7,8,9,A,B,C,D,E,F)

Length (Data Exchange)	38 characters
Length (Geospatial Attribute)	50 characters
Physical Data Type	Alphanumeric (data exchange); String (geospatial attribute)
Example	{3A74AD5C-E18C-4B23-9DA0-B5EEFF6CDACF}

Referenced Data Element

Unlike a fixed set of permissible values, this field's valid values are constrained by reference to another data element. A value entered here must correspond to a valid instance of the referenced element below.

Referenced Element	Frequency Tone Identifier (unique)
Referenced Element Description	Unique identifier for a given tone.
Referenced Element Type	String Data Element
Referenced Element Status	Approved
Referenced Data Exchange Name	UniqueFrequencyToneID
Referenced Alternate Name	IrwinFTID
Referenced Format	{XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX}
Referenced Length	38 characters
Referenced Example	{3A74AD5C-E18C-4B23-9DA0-B5EEFF6CDACF}
Referenced Source Identifier	f449dc9a-4091-4a32-9345-8f89ee6c04ec

Because the format, length, and example values are identical between this element and its referenced element, this confirms the child tone identifier is expected to be drawn directly

from the pool of existing Frequency Tone Identifier (unique) records rather than an independently defined value.

Source identifier: `c5442b6e-5082-4053-bd6e-f85a58d546d3` · References data element: `wfstandarddata:f449dc9a-4091-4a32-9345-8f89ee6c04ec` · Wildland Fire Data Standards (edg / wfschema / wfterm namespaces)